

Practice Exam 1 -

1. Conceptual Foundations (12 Wt %)

1 101 The property of area for a parcel polygon may be considered (Choose the best response)

- A. Precise
- B. Accurate
- C. Legally correct
- D. Both a and b above

2 102 A vector data model uses which of the following coordinate pair types to build curvature within a line?
(Choose the best response)

- A. Vertices
- B. Points
- C. Floating Points
- D. Nodes

3 103 GIS *differs* from surveying and mapping by introducing (Choose the best response)

- A. Attribute descriptions
- B. Spatial analysis
- C. Location determination
- D. Temporal information

4 104 What is a datum? (Choose the best response)

- A. A mathematical model
- B. The mathematical model related to real world features
- C. Real world features projected with minimum distortion from a round earth to flat map.
- D. A system of coordinates.

5 105 Which method is used to align an unreferenced dataset with one that has spatial reference information? (Choose the best response)

- A. Scaling
- B. Reprojecting
- C. Georeferencing
- D. defining projections

6 105 Control points are best described as (Choose the best response)

- A. Areas on the map where projection can easily change
- B. Points on the map that do not have a spatial reference
- C. Points in the data that share the same datum, no matter how the datasets are altered
- D. Common locations used in aligning two datasets

2. Cartography & Visualization (14 Wt %)

7 206 In a map showing contours, the name of the darker contour lines is (Choose the best response)

- A. Index contours
- B. Key contours
- C. Lines of deviation
- D. Lines of Elevations

8 207 Imaginary lines on a map that represent areas of constant elevation are (Choose the best response)

- A. Bands
- B. Contours
- C. Digital line graphs
- D. Collars

9 208 The inherent ability to suggest pattern in the phenomena they represent is a fundamental use of (Choose the best response)

- A. Maps
- B. Tables
- C. Layers
- D. Points

10 209 If you are making a web map of sampling locations, streams and watershed areas, in what order would you place the layers on the map? (Choose the best response)

- A. Sampling locations, wetland areas, streams
- B. Streams, wetland areas, sampling locations
- C. Sampling locations, streams, wetland areas
- D. It doesn't matter what order they are in

11 210 A small-scale map would show (Choose the best response)

- A. A larger geographic area than a large-scale map
- B. A smaller geographic area than a large-scale map
- C. The same geographic area as a large-scale map, just at a smaller resolution
- D. The same geographic area as a large-scale map, just at a larger resolution

12 211 When mapping sensitive data, what are some techniques that can be used to not reveal details of the data? (Select all that apply).

- A. Show the data as a heat map
- B. Show the data as a point layer
- C. Label the addresses that correspond to the data
- D. Aggregate the data into quantities using graduated colors, symbols or proportional symbols

13 211 How does using multiple attributes by category make a map more informative? (Choose the best response)

- A. It makes the map more colorful
- B. It provides the reader with multiple layers of information that are easily recognizable on the map
- C. It shows a high level of expertise has been obtained by the map creator
- D. Multiple attributes only clutter up a map

3. GIS Design Aspects & Data Modeling (29 Wt %)

14 312 Which of the following data formats would most likely represent a file exported from AutoDesk-AutoCAD? (Choose the best response)

- A. .SHP
- B. .DXF
- C. .TXT
- D. .LAS

15 313 Numerous employees in your organization need access to the streets data that your team is responsible for maintaining in an enterprise database. From the options given below, what is the best way to handle access to these data? (Choose the best response)

1. Set the streets layer's permissions to allow everyone in your enterprise full control
2. Set the streets layer's permission to allow full control only to your team
3. Set the streets layer's permission to allow full control only to your team and read-only access to the remainder of your enterprise
4. Set up a download site for everyone in your enterprise. Direct access to these data will be restricted to your team only.

16 313 A third-party software system is being stored, distributed and maintained by a county agency that provides access based on a fee charged to each local jurisdiction. What would be the safest and most efficient ways to add a new user? (Select all that apply)

- A. Let anyone sign on as a user as long as they notify the county agency afterward
- B. Notify the county agency that you would like to add a user and have them do it
- C. Request that the county agency set up an administrator account for your jurisdiction and allow you to have oversight of your users
- D. Don't allow new users

17 313 The local county health department has provided data on EMS calls and ER calls in order for a county GIS department to produce maps showing patterns and density of calls. What restrictions would be involved in using this data? (Choose the best response)

- A. HIPPA laws
- B. Fire Safety regulations
- C. GIS mapping standards
- D. There are no restrictions

18 314 What roles are a database administrator expected to fill? (Select all that apply)

- A. Create database security settings which reflect the needs of the organization
- B. Create queries for reporting purposes
- C. Install and configure server hardware
- D. Backup and Recovery of database

19 315 Several characteristics of GIS services that make it difficult to design GIS web services with satisfactory performance. These include (Select all that apply)

- A. GIS requires heavy CPU usage
- B. GIS services sometimes transmit large images
- C. Clients of GIS services are often complex software packages
- D. GIS is not scalable to web services

20 316 Leveraging GIS to support an enterprise environment can be best accomplished using which of the following approaches? (Choose the best response)

- A. Write-protected shapefiles located on each employee's workstation
- B. Geodatabases stored on a centralized server
- C. Geospatial data served as map services and web maps
- D. A well-staffed GIS department that is able to response all questions required for the enterprise

21 318 Which of these types of online information could NOT be referenced in a hyperlink field within a GIS data table? (Choose the best response)

- A. Assessment records for parcel polygons
- B. Precipitation data for rain gage points
- C. City name for municipal polygons
- D. Construction project information for roadway lines

22 319 You have been assigned team lead on the development of a new GIS database for a large county. From the options given below, what is the best approach to this project? (Choose the best response)

- A. You and your team should study the county and develop the database for them based on your expert knowledge of GIS
- B. You and your team should interview end-users at the county to learn how this enterprise functions and then design a database to satisfy their particular needs
- C. You and your team should acquire a copy of the county's geospatial data and convert it into the Local Government Information Model (LGIM). Delivery of this end-product will setup the county for their long-term needs
- D. Both a and c are equally correct.

23 320 Object-relational databases have become the cornerstone of modern GIS. These databases can be best described in which of the following ways: (Choose the best response)

- A. Each database contains one table and one GIS layer
- B. The database contains one attribute table for each GIS layer. The attribute table may contain numerous fields (attributes)
- C. The database will contain many GIS layers, each with an attribute table. The attribute table may contain numerous fields (attributes)
- D. The database will contain many GIS layers, each with an associated attribute table. In addition, other tables may exist that further describe specific characteristics of the GIS layer and are associated with the GIS layer through a relationship. Each table may contain numerous fields (attributes).

24 321 One common task faced by the GIS professional is the assurance of data quality and correctness. An example of this is ensuring all County polygons fall within the polygon of their respective State. This can be accomplished using which of the following workflows? (Choose the best response)

- A. Clip the Counties polygon layer with the State polygon layer. Then check if the counties layer changed. If so, it is understood that the Counties layer was larger than the State layer, thus requiring further action.
- B. Apply a topology rule to the Geodatabase feature dataset containing County and State polygon feature classes and determine if the State feature class is covered by the Counties feature class
- C. Apply a topology rule to the folder containing County and State shapefiles and determine if the State feature class is covered by the Counties feature class
- D. Simply sum the area of the Counties layer and State layer. If they agree it is safe to assume they share consistent topology

25 322 When a GIS dataset for a given project is constantly revised, accessed, and manipulated by multiple users the best practice approach for storing the data is (Choose the best response)

- A. Shapefiles
- B. Personal Geodatabase
- C. KML files
- D. Enterprise Geodatabase

26 323 What technology allows for multiple server instances on a single piece of hardware/single server? (Choose the best response)

- A. Open Source
- B. Remote Desktop
- C. Virtualization
- D. Network Attached Storage

27 324 Which of the following is NOT a true relational database? (Choose the best response)

- A. SQL Server
- B. Access
- C. Oracle
- D. PostgreSQL

4. GIS Analytical Methods (17 Wt %)

28 425 Overlay analysis is based on (Choose the best response)

- A. Principal component analysis
- B. Spatial diffusion
- C. Graph theory
- D. Boolean logic

29 425 What are good reasons to use scale-dependant rendering that changes the source of a dataset to a less detailed and less accurate dataset as the scale of the map is made smaller? (Select all that apply)

- A. To reduce file size of the digital version of a map
- B. To make features appear larger than they are
- C. To reduce cluttered/confusing representations in map products
- D. To encourage the viewer to overlook important details

30 426 Representing features logically in GIS format requires knowledge of GIS primitives. The scale at which a feature is intended to be shown can help define the proper primitive used to create and display that feature. The best option to represent a feature class for rivers in a State-wide map would be: (Choose the best response)

- A. Point Feature
- B. Polygon feature
- C. Line Feature
- D. Multi-patch feature

31 428 You have been asked to analyze ground water quality for a largely rural American county. During your analysis you learn that septic tank density has a correlation coefficient of 0.15 with ground water nitrate concentrations. From these data, you can safely infer (Choose the best response)

- A. Septic tanks appear to contribute to the Counties ground water nitrate concerns. However, additional factors are also involved and need to be investigated.
- B. Septic tanks have increased nitrate concentration by 15%. Therefore, restricting future septic tank installations is important for the counties ground water quality.
- C. Septic tanks have increased nitrate concentration by 15%. Therefore, restricting future septic tank installations is important for the counties ground water quality. In addition, the County needs to seriously consider extending existing sewer lines to thereby reduce the number of septic tanks.
- D. The correlation coefficient of 0.15 is very low and fails to show any correlation between septic tanks and the Counties ground water concerns regarding nitrates.

32 429 In the world of programming, the most basic skills utilized are (Select all that apply)

- A. Scripting
- B. Tool Modification
- C. Application Development
- D. Software Engineering

33 430 Uniform cell size is a description of (Choose the best response)

- A. A raster data structure
- B. A vector data structure
- C. A point data structure
- D. A polygon data structure

34 431 What are good reasons to use scale-dependant rendering that changes the source of a dataset to a less detailed and less accurate dataset as the scale of the map is made smaller? (Select all that apply)

- A. To reduce file size of the digital version of a map
- B. To make features appear larger than they are
- C. To reduce cluttered/confusing representations in map products
- D. To encourage the viewer to overlook important details

35 432 $\pi/4$ rad =

- A. 90 degrees
- B. 30 degrees
- C. 60 degrees
- D. 45 degrees

5. Data Manipulation (15 Wt %)

36 533 Showing data based on defined parameters is one of the greatest benefits of GIS. Filtering data based on the specific content stored in a field refers to which of the following: (Choose the best response)

- A. Attribute query
- B. Spatial query
- C. Locational query
- D. Cartographic query

37 534 The shapefile format is a digital vector format for storing geometric locations and associated attribute information. While it can consist of several files with different file name extensions, three file names are needed to be properly identified as a shapefile. These are: (Choose the best response)

- A. shp, sbn, prj
- B. shp, shx, dbf
- C. shp, sbn, dbf
- D. shp, sbn, sbx

38 535 Calculations (sum, average, median, etc.) can't be performed on this type of field (Choose the best response)

- A. Character
- B. Integer
- C. Floating
- D. BLOB

39 537 When converting Degrees/Minutes/Seconds of latitude in the Northern Hemisphere to decimal degrees (Choose the best response)

- A. Add the three values together and divide the sum by 3600, i.e., $(\text{Deg} + \text{Min} + \text{Sec}) / 3600$
- B. Subtract the seconds from the minutes, then the minutes from the degrees i.e. $(\text{Deg} - (\text{Min} - \text{Sec}))$
- C. Multiply the Minutes by 60, multiply the seconds by 3600 and then add all to the degrees, i.e., $(\text{Deg} + (\text{Min} * 60) + (\text{Sec} * 3600))$
- D. Divide the Seconds by 3600, divide the Minutes by 60, then add those values to the degrees, i.e. $(\text{Deg} + (\text{Min} / 60) + (\text{Sec} / 3600))$

40 537 If converting Degrees/Minutes/Seconds of latitude in the Southern Hemisphere to decimal degrees, what would change from question 39? (Choose the best response)

- A. You would add the derived value to 180
- B. You would subtract the derived value from 180
- C. You would multiply the derived value by -1
- D. You would divide the derived value by -1

41 538 How would you determine the horizontal accuracy of an ortho-rectified aerial image? (Choose the best response)

- A. The image is compared to a historic photograph and 90% of the well-known points must match,
- B. Photo-identifiable field points are surveyed and the Root-Mean Square error between the image and the Photo-ID points is computed,
- C. Points are heads-up digitized from the ortho-rectified aerial image and compared to points from GIS layers
- D. Have multiple technicians measure football fields end zone to end zone (300 feet) (or other well-known structures) and the standard deviation of those measurements is the accuracy.

#42 538 What is the most common statistical method to determine the attribute (land classification) accuracy of a raster- derived land use/land cover map? (Choose the best response)

- A. Use photo-identifiable points for ground truthing and compute a RMSe
- B. Have multiple technicians compile vector polygons and then do a Union Overlay. The total area of the sliver polygons is the statistical error
- C. Compute a Confusion Matrix based on ground truthing a stratified random sample of polygons
- D. Compute the variance in the number of polygons of each land use/land cover class

6. Geospatial Data (13 Wt %)

43 639 The Federal Geographic Data Committee has endorsed (Choose the best response)

- A. only the Content Standard for Digital Geospatial Metadata (CSDGM)
- B. only the ISO 19115 Geospatial Metadata Standard
- C. only the CSDGM and the ISO 19115 standards
- D. the CSDGM, ISO 19115, and additional ISO metadata standards

44 640 The value of “pulldown” menus in mobile data collection allows for certain data to be added without typing. This valuable input technique allows control of input syntax and is a proactive part of (Choose the best response)

- A. Data filtering
- B. Quality Assurance
- C. Cartographic Display
- D. Big data

- # 45 641 What are the main reasons for implementing a data archiving system? (Select all that apply)
- A. Cost of primary storage
 - B. Ease of access to historical data
 - C. Fast Access to the most important data
 - D. Various data export formats.
- # 46 642 Which of the following is used to extract features *and their* attributes from one layer using a polygon from another as the boundary of the output? (Choose the best response)
- A. Join
 - B. Merge
 - C. Union
 - D. Clip
- # 47 642 Which of the following is used to build new features by splitting overlapping features and combing attributes where the features overlap? (Choose the best response)
- A. Join
 - B. Merge
 - C. Union
 - D. Clip
- # 48 642 Which of the following appends together layers of adjoining area? (Choose the best response)
- A. Join
 - B. Merge
 - C. Union
 - D. Clip
- # 49 644 What are some important considerations when converting hand-drawn features from a hard copy map to digital GIS data? (Select all that apply)
- A. Colors that will be used to show data in final maps
 - B. Determining which background data shown on the paper maps is the most accurate to use in georeferencing it
 - C. Method the field data collector used to orient themselves
 - D. Ability to understand the notations made and to interpret the attributes for each feature
- # 50 644 When collecting GPS data, what are the most important factors in determining the accuracy of the resulting data? (Select all that apply)
- A. Using templates or prescribed schemas for feature creation to ensure data quality
 - B. The number of and distance between features collected each day
 - C. The capabilities of the GPS receiver and alignment of GPS satellites at the moment the data is collected
 - D. The battery power of the data collection device

Response Key:

1. Conceptual Foundations

- 1 D
- 2 A
- 3 B
- 4 B
- 5 C
- 6 D

2. Cartography & Visualization

- 7 A
- 8 B
- 9 A
- 10 C
- 11 A
- 12 AD
- 13 B

3. GIS Design Aspects & Data Modeling

- 14 B
- 15 C
- 16 BC
- 17 A
- 18 ABD
- 19 ABC
- 20 C
- 21 C
- 22 B
- 23 D
- 24 B
- 25 D
- 26 C
- 27 B

4. GIS Analytical Methods

- 28 D
- 29 AC
- 30 C
- 31 D
- 32 AB
- 33 A
- 34 A,C
- 35 D

5. Data Manipulation

- 36 A
- 37 B
- 38 A
- 39 D
- 40 C
- 41 B
- 42 C

**6. Geospatial
Data**

- 43 D
- 44 B
- 45 ABC
- 46 D
- 47 C
- 48 B
- 49 BD
- 50 AC