fluidic flexible matrix composites", *J. Intell. Mater. Syst. Struct.*, **20**, 443-456.
https://doi.org/10.1177/1045389X08095270

Starosvetsky, Y. and Gendelman, O.V. (2008), "Attractors of harmonically forced linear oscillator with attached nonlinear energy sink. II: Optimization of a nonlinear vibration absorber", *Nonlinear Dyn.*, **51**, 47-57.
https://doi.org/10.1007/s11071-006-9168-z

Sun, C.T. and Li, S. (1988), "Three-dimensional effective elastic constants for thick laminates", *J. Compos. Mater.*, **22**, 629-639.
https://doi.org/10.1177/002199838802200703

Takács, G., Batista, G., Gulan, M. and Rohaľ-Ilkiv, B. (2016), "Embedded explicit model predictive vibration control", *Mechatronics*, **36**, 54-62.
https://doi.org/10.1016/j.mechatronics.2016.04.008

Tanaka, H. and Takahara, S. (1981), "Fluid elastic vibration of tube array in cross flow", *J. Sound Vib.*, **77**, 19-37.
https://doi.org/10.1016/S0022-460X(81)80005-3

Temperley, H.N.V. and Trevena, D.H. (1978), *Liquids and their Properties*: *A Molecular and Macroscopic Treatise with Applications*, Bookbarn International, Ellis Horwood Ltd., Bristol, SOM, UK.

Usharani, R., Uma, G., Umapathy, M. and Choi, S.B. (2017), "A new broadband energy harvester using propped cantilever beam with variable overhang", *Smart Struct. Syst., Int. J.*, **19**(5), 567-576. https://doi.org/10.12989/sss.2017.19.5.567

Viguié, R. and Kerschen, G. (2009), "Nonlinear vibration absorber coupled to a nonlinear primary system: a tuning methodology", *J. Sound Vib.*, **326**, 780-793.
https://doi.org/10.1016/j.jsv.2009.05.023

Wang, X. and Shi, Z. (2015), "Unified solutions for piezoelectric bilayer cantilevers and solution modifications", *Smart Struct. Syst., Int. J.*, **16**(5), 759-780.
https://doi.org/10.12989/sss.2015.16.5.759

Yun, S.K., Yoon, S.S., Kang, S. and Kim, M. (2008), "Design and Vibration Control of Safe Robot Arm with MR-Based Passive Compliant Joint", *J. Syst. Des. Dyn.*, **2**, 475-484.
https://doi.org/10.1299/jsdd.2.475

Zhang, Z., Philen, M. and Neu, W. (2010), "A biologically inspired artificial fish using flexible matrix composite actuators: Analysis and experiment", *Smart Mater. Struct.*, **19**, 1-11.
https://doi.org/10.1088/0964-1726/19/9/094017

Zhao, Y.Y. and Xu, J. (2007), "Effects of delayed feedback control on nonlinear vibration absorber system", *J. Sound Vib.*, **308**, 212-230. https://doi.org/10.1016/j.jsv.2007.07.041

Zhu, B., Rahn, C.D. and Bakis, C.E. (2011), "Tailored fluidic composites for stiffness or volume change", *Proceedings of Conference on Smart Materials*, *Adaptive Structures and Intelligent Systems*, Scottsdale, AZ, USA, pp. 607-612.
https://doi.org/10.1115/SMASIS2011-4962

Zhu, B., Rahn, C.D. and Bakis, C.E. (2013a), "Vibration damping of a cantilever beam utilizing fluidic flexible matrix composites", *Proceedings of Active and Passive Smart Structures and Integrated Systems*, San Diego, CA, USA, March. https://doi.org/10.1117/12.2014763

Zhu, B., Rahn, C.D. and Bakis, C.E. (2013b), "Vibration damping of a cantilever beam utilizing fluidic flexible matrix composites", *Procdings of Active and Passive Smart Structures and Integrated Systems*, San Diego, CA, USA, March.
https://doi.org/10.1117/12.2014763

Zhu, B., Krott, M.J., Rahn, C.D. and Bakis, C.E. (2014a), "Experimental characterization of a cantilever beam with a fluidic flexible matrix composite vibration treatment", *Proceedings of the ASME 2014 International Design Engineering Technical Conferences & Computers and Information in Engineering Buffalo*, New York, USA.
https://doi.org/10.1115/DETC2014-34966

Zhu, B., Rahn, C.D. and Bakis, C.E. (2014b), "Fluidic flexible matrix composite vibration absorber for a cantilever beam", *J. Vib. Acoust.*, **137**(2), 021005.
https://doi.org/10.1115/1.4029002

Zhu, B., Rahn, C.D. and Bakis, C.E. (2015), "Fluidic flexible matrix composite damping treatment for a cantilever beam", *J. Sound Vib.*, **340**, 80-94.
https://doi.org/10.1016/j.jsv.2014.11.042

CC